

Fig. 1a




Fig. 1b




Fig. 1c




Fig. 1d




Fig. 1e




Fig. 2a




Fig. 2b




Fig. 3a





Fig. 3b






Fig. 4b




Fig. 5a




Fig. 5b




Fig. 6a




Fig. 6b




Fig. 6c




Fig. 6d




Fig. 7a




Fig. 7b




Fig. 7c




Fig. 7d




Fig. 7e




Fig. 8a




Fig. 8b




Fig. 8c




Fig. 8d




Fig. 8e




Fig. 8f




Fig. 9a




Fig. 9b




Fig. 9c




Fig. 9d




Fig. 9e




Fig. 10a




Fig. 10b




Fig. 10c




Fig. 10e




Fig. 11a




Fig. 11b




Fig. 11c




Fig. 11d




Fig. 11e




Fig. 12a




Fig. 12b




Fig. 12c




Fig. 12e




Fig. 13a




Fig. 13b




Fig. 13c




Fig. 13d




Fig. 14a




Fig. 14b




Fig. 14c




Fig. 14d




Fig. 14e




Fig. 15a




Fig. 15b




Fig. 15c




Fig. 16




Fig. 17a




Fig. 17b




Fig. 17c




Fig. 17d




Fig. 18a




Fig. 18b

2100




Fig. 19






Fig. 20

SLEEVES




SLEEVE



INTERNAL FLANGE

69/79


BEST AVAILABLE COPY



INTERNAL FLANGE

70/79 ✓


BEST AVAILABLE COPY



FULLY ASSEMBLED PIN AND BOX
THREADED CONNECTION WITH SLEEVE




PIN



BOX







TION

73/79


BEST AVAILABLE COPY




PIN CONNECTION



PIN CONNECTION



SLEEVE



NOTES

INTERNATIONAL STANDARD ALL DIMENSIONS ARE IN INCHES TOLERANCES UNLESS OTHERWISE SPECIFIED: .125 - .1250 .1250 - .1250 .125 - .1250 .1250 - .1250 ANGLES - 90° SURFACE FINISH AND ALL DIMENSIONS OF 1/16" AND SMALLER SHALL BE TO DIMENSIONS UNLESS OTHERWISE SPECIFIED TO AND VALUE - .001 DO NOT SCALE DIMENSIONS MAX. SURFACE FINISH 125 MICRO INCHES SURFACE		THIS IS THE PROPERTY OF THE COMPANY AND IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED IN THE ORDER. IT IS TO BE RETURNED TO THE COMPANY WHEN NO LONGER REQUIRED. IT IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF THE COMPANY. DATE OF 1/1/2001 DRAWN BY 1/1/2001 CHECKED BY 1/1/2001 APPROVED BY 1/1/2001		TITLE XPC-OrNu-GII1 Metal CPS 6.000" OD QUANTITY 7526MPCS DRAWN 1/1/2001 CHECKED 1/1/2001 APPROVED 1/1/2001	
---	--	--	--	--	--

**CROSS SECTIONAL VIEW OF THREADED CONNECTION AFTER RADIAL
EXPANSION WITH EXTERNAL PROTECTIVE SLEEVE**

